ELSEVIER

Talanta 59 (2003) 1271–1278

Talanta

www.elsevier.com/locate/talanta

Volume Contents

Volume 59 (2003)

No. 1 **2 January 2003**

Regular papers

Speciation of vanadium in soil
J. Połedniok and F. Buhl (Katowice, Poland) 1

Flow injection spectrophotometric determination of europium using chlortetracycline
S. Liawruangrath (Chiang Mai, Thailand) and S. Sakulkhaemaruethai (Patumthani, Thailand) 9

Flow-injection biamperometry of pyrogallol compounds
C. Zhao, J. Song and J. Zhang (Xi'an, People's Republic of China). 19

Determination of selenoamino acids using two-dimensional ion-pair reversed phase chromatography with on-line detection by inductively coupled plasma mass spectrometry
J. Zheng, Y. Shibata (Tsukuba, Japan) and N. Furuta (Tokyo, Japan) 27

Determination of 3-amino-1,2,4-triazole (amitrole) in environmental waters by capillary electrophoresis
M. Chicharro, A. Zapardiel, E. Bermejo and M. Moreno (Madrid, Spain) 37

Nickel(II) selective membrane potentiometric sensor using a recently synthesized mercapto compound as neutral carrier
M.H. Mashhadizadeh and A. Momeni (Kerman, Iran) 47

Dialysis membrane sampler for on-line flow injection analysis/chemiluminescence-detection of peroxynitrite in biological samples
K. Dai, A.G. Vlessidis and N.P. Evmiridis (Ioannina, Greece) 55

SOLVERSTAT: a new utility for multipurpose analysis. An application to the investigation of dioxygenated Co(II) complex formation in dimethylsulfoxide solution
C. Comuzzi, P. Polese, A. Melchior, R. Portanova and M. Tolazzi (Udine, Italy). 67

"Fluorimetric determination of nucleic acid using the enhancement of terbium-gadolinium nucleic acid-cetylpyridine bromide system"
L. Li, J. Yang, X. Wu, C. Sun and G. Zhou (Jinan, People's Republic of China). 81

Analysis of nickel–niobium alloys by inductively coupled plasma optical emission spectrometry
B.B. de Lima, R.A. Conte and C.A. Nunes (São Paulo, Brazil) 89

Fluorimetric determination of ascorbic acid with *o*-phenylenediamine
X. Wu, Y. Diao, C. Sun, J. Yang, Y. Wang and S. Sun (Jinan, People's Republic of China) 95

A mercury(II) ion-selective electrode based on neutral salicylaldehyde thiosemicarbazone
R.K. Mahajan, I. Kaur and T.S. Lobana (Amritsar, India). 101

Analysis of European oak bark beetle (*Scolytus intricatus*) extracts using hyphenated and chiral chromatography techniques
P. Vrkočová, B. Kalinová, I. Valterová and B. Koutek (Praha, Czech Republic) 107

High-performance liquid chromatographic method for simultaneous determination of honokiol and magnolol in rat plasma
X. Wu, X. Chen and Z. Hu (Lanzhou, PR China). 115

Determination of calcium, iron and manganese in moss by automated discrete sampling flame atomic absorption spectrometry as an alternative to the ICP–MS analysis
V. Kmetov, V. Stefanova, D. Hristozov, D. Georgieva (Plovdiv, Bulgaria) and A. Canals (Alicante, Spain). 123

Electrochemical reduction of cefminox at the mercury electrode and its voltammetric determination in urine
A. Hilali, J.C. Jiménez, M. Callejón, M.A. Bello and A. Guiraúm (Seville, Spain) 137

Indirect simultaneous kinetic determination of semicarbazide and hydrazine in micellar media by H-point standard addition method
A. Safavi (Shiraz, Iran), H. Abdollahi (Zanjan, Iran), F. Sedaghatpour and M.R. Hormozi Nezhad (Shiraz, Iran). . . 147
Isolation of tetracyclines in milk using a solid-phase extracting column and water eluent
N. Furusawa (Osaka, Japan). 155
DDB liver drug as a novel ionophore for potentiometric barium (II) membrane sensor
S.S.M. Hassan (Cairo, Egypt), M.B. Saleh, A.A. Abdel Gaber and N.A. Abdel Kream (Minia, Egypt) 161
Mixed ternary ion associate formation between xanthene dye, cinchona-alkaloid and quaternary ammonium ion and its application to the determination of trace amounts of quaternary ammonium salts in pharmaceuticals
T. Sakai and A. Hirose (Toyota, Japan) 167
Critical comments on accuracy of quantitative determination of natural humic matter by solid state ^{13}C NMR spectroscopy
J. Peuravuori (Turku, Finland), P. Ingman (Oulu, Finland) and K. Pihlaja (Turku, Finland) 177
A multicommuted flow system for sequential spectrophotometric determination of hydrosoluble vitamins in pharmaceutical preparations
F.R.P. Rocha, O. Fatibello Filho (São Carlos, Brazil) and B.F. Reis (Piracicaba, Brazil). 191
Solid-phase extraction of bismuth, lead and nickel from seawater using silica gel modified with 3-aminopropyltriethoxysilane filled in a syringe prior to their determination by graphite furnace atomic absorption spectrometry
N. Tokman, S. Akman and M. Ozcan (Istanbul, Turkey) 201
Flow injection spectrophotometric determination of fosfestrol, following on-line thermal induced digestion and using an orthophosphate calibration graph
P.D. Tzanavaras and D.G. Themelis (Thessaloniki, Greece). 207

Instructions for Authors 215

No. 2 **6 February 2003**

Regular papers
Study of ion exchange selectivity of organic ions by using ^{31}P NMR spectroscopy
A. Marton (Veszprém, Hungary), H. Sakashita, Y. Miura, E. Hiramatsu and Y. Miyazaki (Fukuoka, Japan) 217
The prediction for gas chromatographic retention index of disulfides on stationary phases of different polarity
Y. Gao, Y. Wang, X. Yao, X. Zhang, M. Liu, Z. Hu (Lanzhou, People's Republic of China) and B. Fan (Paris, France) 229
Synthesis, characterisation and evaluation of polydithiocarbamate resin supported on macroreticular styrene–divinylbenzene copolymer for the removal of trace and heavy metal ions
P.K. Roy, A.S. Rawat and P.K. Rai (Delhi, India) 239
The quantification of sodium in mineral waters using a quartz crystal microbalance
M.T.S.R. Gomes, J.R.M.L. Costa and J.A.B.P. Oliveira (Aveiro, Portugal) 247
Kinetic spectrophotometric determination of trace manganese (II) with dahlia violet in nonionic microemulsion medium
Q. Wei (Jinan, Lanzhou, People's Republic of China), L. Yan, G. Chang (Jinan, People's Republic of China) and Q. Ou (Lanzhou, People's Republic of China) 253
Characterization of a reservoir-type capillary optical microsensor for pCO_2 measurements
K. Ertekin (Manisa, Turkey; Regensburg, Germany), I. Klimant (Graz, Austria), G. Neurauter and O.S. Wolfbeis (Regensburg, Germany). 261
Single-mismatch detection using nucleic acid molecular 'light switch'
L.-S. Ling (Wuhan, Beijing, People's Republic of China), Z.-K. He, F. Chen and Y.-E. Zeng (Wuhan, People's Republic of China) 269
Efficiency of Pt and Ir modifiers for the simultaneous determination of As, Se and In in a sodium sulphate matrix by electrothermal atomic absorption spectrometry
A.B. Volynsky and R. Wennrich (Leipzig, Germany) 277
Separation/preconcentration of trace heavy metals in urine, sediment and dialysis concentrates by coprecipitation with samarium hydroxide for atomic absorption spectrometry
S. Saracoglu, M. Soylak (Kayseri, Turkey) and L. Elci (Denizli, Turkey). 287
Laser-induced fluorescence monitoring of higher alkanes production from pure methane using non-oxidative processes
M.A. Gondal, A. Dastgeer, Z.H. Yamani, A. Arfaj and M.A. Ali (Dhahran, Saudi Arabia). 295

Eu(fod)$_3$ binding on the ^{1}H-NMR spectra of some benzo[3*n*]crown-*n* and dibenzo[3*n* + 2]crown-*n*
H. Tuncer (Elazig, Turkey) and Ç. Erk (Istanbul, Turkey) 303
Genetic-algorithm-based wavelength selection in multicomponent spectrophotometric determination by PLS: application on copper and zinc mixture
J. Ghasemi, A. Niazi (Kermanshah, Iran) and R. Leardi (Genova, Italy) 311
Sequential injection system for on-line analysis of total nitrogen with UV-mineralization
M.T. Oms, A. Cerdà and V. Cerdà (Palma de Mallorca, Spain) 319
Analysis of 2,4,6-trinitrotoluene, pentaerythritol tetranitrate and cyclo-1,3,5-trimethylene-2,4,6-trinitramine using negative corona discharge ion mobility spectrometry
T. Khayamian, M. Tabrizchi and M.T. Jafari (Isfahan, Iran) 327
Classification of commercial wines from the Canary Islands (Spain) by chemometric techniques using metallic contents
S. Frías, J.E. Conde, J.J. Rodríguez-Bencomo, F. García-Montelongo and J.P. Pérez-Trujillo (Santa Cruz de Tenerife, Spain) 335
Size separation of silica nanospheres by means of capillary zone electrophoresis
N.G. Vanifatova, B.Y. Spivakov (Moscow, Russia), J. Mattusch and R. Wennrich (Leipzig, Germany) 345
Total metal concentrations in serum of dialysis patients and fractionation of Cu, Rb, Al, Fe and Zn in spent continuous ambulatory peritoneal dialysis fluids
J. Ščančar, R. Milačič, M. Benedik and I. Križaj (Ljubljana, Slovenia) 355
Rapid sample digestion by fusion and chemical separation of Hf for isotopic analysis by MC-ICPMS
D. Ulfbeck, J. Baker, T. Waight and E. Krogstad (Copenhagen, Denmark) 365
Application of a classical least-squares regression method to the assay of 1,4-dihydropyridine antihypertensives and their photoproducts
G. Ragno (Arcavacata di Rende, Italy), C. Vetuschi (Bari, Italy), A. Risoli and G. Ioele (Arcavacata di Rende, Italy) 375
A novel tetrachlorothallate (III)–PVC membrane sensor for the potentiometric determination of thallium (III)
M.M. Hassanien (Beni Suef, Egypt), K.S. Abou-El-Sherbini and G.A.E. Mostafa (Cairo, Egypt) 383
Flow-injection preconcentration and graphite furnace atomic absorption spectrometric determination of platinum
A. Lásztity, Á. Kelkó-Lévai, K. Zih-Perényi and I. Varga (Budapest, Hungary) 393
PVC-based bis(2-nitrophenyl)disulfide sensor for zinc ions
M.B. Gholivand and Y. Mozaffari (Kermanshah, Iran) 399

Short communications
Laser-induced breakdown spectrometry in jewellery industry. Part II: quantitative characterisation of goldfilled interface
A. Jurado-López and M.D. Luque de Castro (Córdoba, Spain) 409
Analysis of promazines in bovine livers by high performance liquid chromatography with ultraviolet and fluorimetric detection
M.C. Quintana, M.H. Blanco, J. Lacal and L. Hernández (Madrid, Spain) 417

Book review 423
Calendar of forthcoming meetings N3

No. 3 **1 March 2003**

Regular papers
Analytical properties of 1-phenyl-1,2-propanedione-2-oxime thiosemicarbazone: simultaneous spectrophotometric determination of copper(II) and nickel(II) in edible oils and seeds
K.H. Reddy, N.B.L. Prasad and T.S. Reddy (Anantapur, India) 425
Comparison of pyrolysis mass spectrometry with high performance liquid chromatography for the analysis of Cremophor EL in drugs and serum
A. Ghassempour, M.R. Nabid, M. Talebi (Tehran, Iran) and A.A. Entezami (Tabriz, Iran) 435
Synthesis and characterization of zirconium(IV) iodovanadate and its use as electron exchanger
P. Singh, J.P. Rawat and N. Rahman (Aligarh, India) 443
Determination of diphenhydramine by capillary electrophoresis with tris(2,2′-bipyridyl)ruthenium(II) electrochemiluminescence detection
J. Liu, W. Cao, X. Yang and E. Wang (Changchun, China) 453
Statistical properties of limit of detection test statistics
D. Montville and E. Voigtman (Amherst, MA, USA) 461

Rapid and sensitive determination of protein by light-scattering technique with Eriochrome Blue Black R
Y. Zhao, W. Chang and Y. Ci (Beijing, PR China) 477
Trace element analysis of high purity arsenic through vapour phase dissolution and ICP-QMS
M.V. Balarama Krishna and J. Arunachalam (Hyderabad, India) 485
Determination of the binding constant for the inclusion complex between procaine hydrochloride and β-cyclodextrin by capillary electrophoresis
N. Li, J. Duan, H. Chen and G. Chen (Fuzhou, PR China) 493
Accumulation and stripping behavior of silver ions at DL-dithiothreitol self-assembled monolayer modified gold electrodes
B. Zeng, X. Ding, D. Pan and F. Zhao (Wuhan, PR China) 501
Light-emitting-diode-induced fluorescence detector for capillary electrophoresis using optical fiber with spherical end
B. Yang and Y. Guan (Dalian, People's Republic of China) 509
Artificial neural networks for simultaneous spectrophotometric differential kinetic determination of Co(II) and V(IV)
A. Safavi (Shiraz, Iran), H. Abdollahi (Zanjan, Iran) and M.R. Hormozi Nezhad (Shiraz, Iran) 515
Evaluation of non-chromatographic approaches for speciation of extractable As(III) and As(V) in environmental solid samples by FI-HGAAS
J. Carlos González, I. Lavilla and C. Bendicho (Vigo, Spain). 525
Amperometric tyrosinase based biosensor using an electrogenerated polythiophene film as an entrapment support
C. Védrine, S. Fabiano and C. Tran-Minh (Saint Etienne, France) 535
A novel amperometric biosensor based on spinach (*Spinacia oleracea*) tissue homogenate for urinary oxalate determination
M.K. Sezgintürk and E. Dinçkaya (Bornova-Izmir, Turkey) 545
Voltammetric determination of mercury (II) in aqueous media using glassy carbon electrodes modified with novel calix[4]arene
J. Lu (Tianjin, Huangshi, People's Republic of China), X. He, X. Zeng (Tianjin, People's Republic of China), Q. Wan (Huangshi, People's Republic of China) and Z. Zhang (Tianjin, People's Republic of China) 553
Determination of chlorotriazines, methylthiotriazines and one methoxytriazine by SPE–LC–UV in water samples
M.S. Dopico G, M.V. González R, J.M. Castro R, E. González S, J. Pérez I, M. Rodríguez T, A. Calleja and J.M.L. Vilariño (Ferrol, Spain). 561
Chemiluminescence microfluidic system sensor on a chip for determination of glucose in human serum with immobilized reagents
Y. Lv, Z. Zhang and F. Chen (Chongqing, People's Republic of China) 571
Repeatability and pattern recognition of bacterial fatty acid profiles generated by direct mass spectrometric analysis of in situ thermal hydrolysis/methylation of whole cells
M. Xu, K.J. Voorhees (Golden, CO, USA) and T.L. Hadfield (Washington, DC, USA) 577
Sensitive sequential-injection system for the determination of 2-phenylbenzimidazole-5-sulphonic acid in human urine samples using on-line solid-phase extraction coupled with fluorimetric detection
M.T. Vidal, A. Chisvert and A. Salvador (Valencia, Spain) 591
Impact of filter paper on fluorescence measurements of buffered saline filtrates
T.L. Danielson, G.D. Rayson (New Mexico, NM, USA), D.M. Anderson, R. Estell, E.L. Fredrickson (Las Cruces, NM, USA) and B.S. Green (Los Cruces, USA) 601
Spectrophotometric determination of molybdenum with Alizarin Red S in the presence of poly(sulfonylpiperidinylmethylene hydroxide)
M. Alkan (Balikesir, Turkey), M. Kharun and F. Chmilenko (Dniepropetrovsk, Ukraine) 605
Gliclazide as novel carrier in construction of PVC-based La(III)-selective membrane sensor
M.R. Ganjali, A. Daftari, M. Rezapour, T. Puorsaberi and S. Haghgoo (Tehran, Iran) 613
Determination of chromium (III) using a homogenous mixture of water–ethanol–methylisobutylketone solvents
S.P. Eiras, U.M. Custódio and L.A. Pavanin (Uberlândia, Brazil) 621
Determination of noradrenaline and dopamine in pharmaceutical injection samples by inhibition flow injection electrochemiluminescence of ruthenium complexes
F. Li, Y.-Q. Pang, X.-Q. Lin and H. Cui (Hefei, People's Republic of China). 627
Differential pulse voltammetric determination of P(V) following adsorptive accumulation of α-$[PMo_{12}O_{40}]^{3-}$ on a polypyrrole-modified glassy carbon electrode
M. Takamoto and S. Himeno (Kobe, Japan) 637

Calendar of forthcoming meetings N5

No. 4 **10 March 2003**

Regular papers

Determination of inorganic anions in saliva by capillary isotachophoresis
J. Sádecká and J. Polonský (Bratislava, Slovak Republic) 643

On-line determination of trace levels of palladium by flame atomic absorption spectrometry
M. Iglesias, E. Anticó and V. Salvadó (Girona, Spain) 651

Determination of cationic polyelectrolytes using a photometric titration with crystal violet as a color indicator
T. Masadome (Fukuoka, Japan) 659

Detection of nitrogen dioxide using mixed tungsten oxide-based thick film semiconductor sensor
P.-G. Su (Ping-Tung County, Taiwan), W. Ren-Jang (Hsinchu, Taiwan) and N. Fang-Pei (Taipei, Taiwan) 667

Determination of wear metals in engine oil by mild acid digestion and energy dispersive X-ray fluorescence spectrometry using solid phase extraction disks
Z. Yang, X. Hou and B.T. Jones (Winston-Salem, NC, USA) 673

Fluorescent microscopic determination of proteins in human serum with the self-ordered ring of nuclear fast red formed on the solid support of glass slides
Y.C. Chen and C.Z. Huang (Chongqing, People's Republic of China) 681

Determination of ethanol in beverages by flow injection, pervaporation and density measurements
J. González-Rodríguez, P. Pérez-Juan and M.D. Luque de Castro (Córdoba, Spain) 691

HPLC and HPCE analysis of microcystins RR, LR and YR present in cyanobacteria and water by using immunoaffinity extraction
E.C. Aguete, A. Gago-Martínez, J.M. Leão, J.A. Rodríguez-Vázquez (Vigo, Spain), C. Menàrd and J.F. Lawrence (Ottawa, Canada) 697

Multidetermination of thiamine HCl and pyridoxine HCl in their mixture using continuous daubechies and biorthogonal wavelet analysis
E. Dinç (Ankara, Turkey) and D. Baleanu (Ankara, Turkey; Bucharest, Romania) 707

On-line preconcentration and determination of cobalt by chelating microcolumns and flow injection atomic spectrometry
A.M. Haji Shabani, S. Dadfarnia and K. Dehghan (Yazd, Iran) 719

Differential pulse cathodic stripping adsorption voltammetric determination of trace amounts of lead using factorial design for optimization
A.A. Ensafi, T. Khayamian and M. Atabati (Isfahan, Iran) 727

Multicomponent analysis of electrochemical signals in the wavelet domain
M. Cocchi (Modena, Italy), J.L. Hidalgo-Hidalgo-de-Cisneros, I. Naranjo-Rodríguez, J.M. Palacios-Santander (Cádiz, Spain), R. Seeber (Modena, Italy) and A. Ulrici (Reggio Emilia, Italy) 735

Strategies for developing NADH detectors based on Meldola Blue and screen-printed electrodes: a comparative study
A. Vasilescu (Bucharest, Romania), T. Noguer (Perpignan, France), S. Andreescu (Bucharest, Romania), C. Calas-Blanchard (Perpignan, France), C. Bala (Bucharest, Romania) and J.-L. Marty (Perpignan, France) 751

The cloud point extraction of copper(II) with monocarboxylic acids into non-ionic surfactant phase
S.A. Kulichenko, V.O. Doroschuk and S.O. Lelyushok (Kyiv, Ukraine) 767

Factorial designs applied to the development of a capillary electrophoresis method for the analysis of zinc, sodium, calcium and magnesium in water samples
J.A. Jurado-González, M.D. Galindo-Riaño and M. García-Vargas (Puerto Real, Spain) 775

The double K^+/Ca^{2+} sensor based on laser scanned silicon transducer (LSST) for multi-component analysis
Y. Ermolenko (Osaka, Japan; St. Petersbug, Russia), T. Yoshinobu (Osaka, Japan), Y. Mourzina (St. Petersbug, Russia), K. Furuichi (Osaka, Japan), S. Levichev (St. Petersbug, Russia), M.J. Schöning (Jülich, Germany), Y. Vlasov (St. Petersbug, Russia) and H. Iwasaki (Osaka, Japan) 785

Electrochemical sensor for predicting transformer overload by phenol measurement
T. Bosworth, S. Setford (Silsoe, UK), R. Heywood (Leatherhead, UK) and S. Saini (Silsoe, UK) 797

Characterization and use of a Raman liquid-core waveguide sensor using preconcentration principles
S. Tanikkul, J. Jakmunee, M. Rayanakorn, K. Grudpan (Chiang Mai, Thailand), B.J. Marquardt, G.M. Gross, B.J. Prazen, L.W. Burgess, G.D. Christian and R.E. Synovec (Seattle, WA, USA) 809

Interaction of oligopyrrole macrocycles with aromatic acids: spectroscopical, quantum chemical and chromatographic aspects
Z. Tománková, P. Matějka, D. Sýkora and V. Král (Praha, Czech Republic) 817

Quantitative analysis of synthetic calcium carbonate polymorphs using FT-IR spectroscopy
N.V. Vagenas, A. Gatsouli and C.G. Kontoyannis (Patras, Greece) 831

Short communication
Fast microwave-assisted free sugars washing and hydrolysis pre-treatment for the flow injection determination of starch in food
A. Caballo-López and M.D. Luque de Castro (Córdoba, Spain) 837
A selective method for the determination of benzo[a]pyrene in soil using porous graphitic carbon liquid chromatography columns
A. Al-Haddad (Isa Town, Bahrain) 845

Book review 849
Calendar of forthcoming meetings N7

No. 5 **10 April 2003**

Regular papers
Preconcentration and separation of iron, zinc, cadmium and mercury, from waste water using Nile blue a grafted polyurethane foam
M.F. El-shahat (Cairo, Egypt), E.A. Moawed and M.A.A. Zaid (, Egypt) 851
Ion-pair extraction behavior of divalent metal cations using neutral di-Schiff base ligands derived from 1,2-cyclohexanediamine and *o*-phenylenediamine
S. Oshima, N. Hirayama (Kanazawa, Japan), K. Kubono (Kashiwara, Japan), H. Kokusen (Ishikawa, Japan) and T. Honjo (Kanazawa, Japan) 867
Simultaneous determination of sulfite, sulfate, and hydroxymethanesulfonate in atmospheric waters by ion-pair HPLC technique
Y. Zuo and H. Chen (North Dartmouth, MA, USA) 875
Immunosensor for the determination of azidothymidine: Its utilization as detector in a sequential injection analysis system
R.-I. Stefan, R.G. Bokretsion, J.F. van Staden (Pretoria, South Africa) and H.Y. Aboul-Enein (Riyadh, Saudi Arabia) 883
Synergic effect studies of the bi-enzymatic system laccase–peroxidase in a voltammetric biosensor for catecholamines
O.D. Leite, K.O. Lupetti, O. Fatibello-Filho (Sao Carlos, Brazil), I.C. Vieira (Cuiaba, Brazil) and A.M. Barbosa (Londrina, Brazil) 889
Determination of manganese in brain samples by slurry sampling graphite furnace atomic absorption spectrometry
L.M. Marcó P. (Caracas, Barquisimeto, Venezuela), E.A. Hernández Caraballo (Mérida, Venezuela), C. Pascusso (Barquisimeto, Venezuela) and J. Alvarado (Caracas, Venezuela). 897
Extraction and separation of gallium, indium and thallium with several carboxylic acids from chloride media
X. Zhang, G. Yin and Z. Hu (Henan, People's Republic of China) 905
Determination of paraquat in human blood plasma using reversed-phase ion-pair high-performance liquid chromatography with direct sample injection
M.R. Brunetto, A.R. Morales, M. Gallignani, J.L. Burguera and M. Burguera (Mérida, Venezuela) 913
Flow analysis–hydride generation–Fourier transform infrared spectrometric determination of antimony in pharmaceuticals
M. Gallignani, C. Ayala, M.R. Brunetto, M. Burguera and J.L. Burguera (Merida, Venezuela). 923
A rapid method for determining *Mycobacterium tuberculosis* based on a bulk acoustic wave impedance biosensor
F. He, J. Zhao, L. Zhang and X. Su (Changsha, PR China) 935
On-line preconcentration and determination of nickel in natural water samples by flow injection-inductively coupled plasma optical emission spectrometry (FI-ICP-OES)
N. Yunes, S. Moyano, S. Cerutti, J.A. Gásquez (San Luis, Argentina) and L.D. Martinez (San Luis, Ciudad de Buenos Aires, Argentina) 943
A capillary electrophoresis detection scheme for underivatized amino acids based on luminol–BrO^- chemiluminescence system
W. Yang, Z. Zhang and W. Deng (Xi'an, China) 951
Direct chemiluminescence determination of cysteine in human serum using quinine–Ce(IV) system
L. Nie, H. Ma, M. Sun, X. Li, M. Su and S. Liang (Beijing, China) 959
Determination of matrine in rat plasma by high-performance liquid chromatography and its application to pharmacokinetic studies
X. Wu (Lanzhou, People's Republic of China; Kyoto, Japan), F. Yamashita, M. Hashida (Kyoto, Japan), X. Chen and Z. Hu (Lanzhou, People's Republic of China). 965

Spectrofluorimetric determination of aliphatic amines using a new fluorigenic reagent: 2,6-dimethylquinoline-4-(*N*-succinimidyl)-formate
L.-W. Cao, H. Wang, X. Liu and H.-S. Zhang (Wuhan, China) 973
Immobilization of horseradish peroxidase to a nano-Au monolayer modified chitosan-entrapped carbon paste electrode for the detection of hydrogen peroxide
C.-X. Lei (Changsha, Yiyang, China), S.-Q. Hu (Changsha, Zhuzhou, China), G.-L. Shen and R.-Q. Yu (Changsha, China) 981
Semi-online preconcentration of Cd, Mn and Pb on activated carbon for GFASS
S. Xingguang, W. Meijia, Z. Yihua, Z. Jiahua, Z. Hanqi and J. Qinhan (Changchun, People's Republic of China) . . 989
Extraction of molybdenum by a supported liquid membrane method
C. Basualto (Santiago, Chile), J. Marchese (San Luis, Argentina), F. Valenzuela (Santiago, Chile) and A. Acosta (San Luis, Argentina) 999
Voltammetric behavior of methaqualone and its determination by single-sweep oscillopolarography
L. Zhang, S. Zhang and Y. Wan (Beijing, People's Republic of China) 1009
A simple spectrophotometric technique for the determination of carbaryl pesticides in various environments
A.B. Manjubhashini (Pondicherry, India), G.K. Raman, A.S. Kumar and P. Chiranjeevi (Tirupati, India) 1015
Evaluation of a carbon paste electrode modified with organofunctionalized amorphous silica in the cadmium determination in a differential pulse anodic stripping voltammetric procedure
G. Marino, M.F. Bergamini, M.F.S. Teixeira and É.T.G. Cavalheiro (São Carlos, Brazil) 1021
Stopped-flow study of the enhanced chemiluminescence for the oxidation of luminol with hydrogen peroxide catalyzed by microperoxidase 8
H.-C. Yeh and W.-Y. Lin (Taipei, Taiwan, ROC) 1029
Silica–titania sol–gel hybrid materials: synthesis, characterization and potential application in solid phase extraction
S.V.M. de Moraes, J.B. Passos, P. Schossler, E.B. Caramão, C.C. Moro, T.M.H. Costa and E.V. Benvenutti (Porto Alegre, Brazil) 1039
Chemiluminescence determination of barbituric acid using $Ru(phen)_3^{2+}$–Ce(IV) system
J. Xi, X. Ai and Z. He (Wuhan, China) 1045
Preconcentration and speciation of chromium using a melamine based polymeric sequestering succinic acid resin: its application for Cr(VI) and Cr(III) determination in wastewater
M. Doğutan, H. Filik and İ. Tor (Istanbul, Turkey) 1053
The utilization of copper(II) phosphate for the anodic stripping voltammetric assay of alendronate sodium, desferrioxamine mesylate and lisinopril
O.A. Razak, S.F. Belal, M.M. Bedair and R.S. Haggag (Alexandria, Egypt) 1061

Erratum 1071
Calendar of forthcoming meetings N11

No. 6 **1 May 2003**

Regular papers
Chemiluminescence assay of promethazine hydrochloride using acidic permanganate employing flow injection mode operated with syringe and peristaltic pumps
S.M. Sultan, Y.A.M. Hassan and A.M. Abulkibash (Dhahran, Saudi Arabia) 1073
Determination of protonation- and metal complex stability constants for a chelating monomer and its immobilized in polymer resin
Ö. Szabadka, E. Varga (Veszprém, Hungary) and L. Nagy (Pécs, Hungary) 1081
A rapid and selective LC method for simultaneous determination of cyclosporin a and its major metabolite (AM1) in human serum at room temperature
N. Golabi, H. Tajerzadeh and A. Ghassempour (Tehran, Iran) 1089
A journey into low-dimensional spaces with autoassociative neural networks
M. Daszykowski, B. Walczak and D.L. Massart (Brussels, Belgium) 1095
Determination of carbendazim, thiabendazole and fuberidazole using a net analyte signal-based method
M. Martínez Galera, D. Picón Zamora, J.L. Martínez Vidal, A. Garrido Frenich (Almería, Spain), A. Espinosa-Mansilla, A. Muñoz de la Peña and F. Salinas López (Badajoz, Spain) 1107
Spectroscopic analysis of roman wall paintings from Casa del Mitreo in Emerita Augusta, Mérida, Spain
M.C. Edreira, M.J. Feliu, C. Fernández-Lorenzo and J. Martín (Puerto Real, Spain) 1117

Simultaneous spectrophotometric determination of iron and vanadium by H-point standard addition method and partial least squares regression in micellar medium
H. Abdollahi (Zanjan, Iran), J. Zolgharnein, G.H. Azimi and D. Jafarifar (Arak, Iran) 1141
Sequential injection analysis with dynamic surface tension detection: High throughput analysis of the interfacial properties of surface-active samples
N. Lenghor, K. Grudpan, J. Jakmunee (Chiang Mai, Thailand), B.A. Staggemeier, W.W.C. Quigley, B.J. Prazen, G.D. Christian, J. Ruzicka and R.E. Synovec (Seattle, WA, USA) 1153
Combination of LC-ICP-MS, LC-MS and NMR for investigation of the oxidative degradation of selenomethionine
B. Gammelgaard, C. Cornett, J. Olsen, L. Bendahl and S.H. Hansen (Copenhagen, Denmark) 1165
Analytical investigation of the chemical reactivity and stability of aminopropyl-grafted silica in aqueous medium
M. Etienne and A. Walcarius (Villers-les-Nancy, France) 1173
Solvent effect on distribution ratio of Pd(II) in supercritical carbon dioxide extraction and solvent extraction using 2-methyl-8-quinolinol
J. Ougiyanagi, Y. Meguro, Z. Yoshida, H. Imura and K. Ohashi (Ibaraki, Japan) 1189
Shpol'skii spectroscopy at the interface of two non-polar microenvironments: a novel approach for the analysis of polycylic aromatic compounds
A.F. Arruda, S. Yu and A.D. Campiglia (Fargo, ND, USA) 1199
Solvent extraction of permanganates (Na, K) by 18-crown-6 ether from water into 1,2-dichloroethane: elucidation of an extraction equilibrium based on component equilibria
Y. Kudo, J. Usami, S. Katsuta and Y. Takeda (Chiba, Japan) 1213
Mass spectrometric identification of an azobenzene derivative produced by smectite-catalyzed conversion of 3-amino-4-hydroxyphenylarsonic acid
R.L. Wershaw, D.W. Rutherford, C.E. Rostad, J.R. Garbarino, I. Ferrer, K.R. Kennedy (Denver, CO, USA), G.-M. Momplaisir and A. Grange (Las Vegas, NV, USA) 1219
A new chelating sorbent for metal ion extraction under high saline conditions
D. Prabhakaran and M.S. Subramanian (Chennai, India) 1227
Selective potentiometric determination of nitrite ion using a novel (4-sulphophenylazo-)1-naphthylamine membrane sensor
S.S.M. Hassan, S.A.M. Marzouk (Cairo, Egypt) and H.E.M. Sayour (Giza, Egypt) 1237
Analysis and identification of several apple varieties using ISFETs sensors
J. Alonso, J. Artigas and C. Jimenez (Bellatera, Spain) 1245

Short communications
Voltammetric determination of phytochelatins using copper solid amalgam electrode
B. Yosypchuk, I. Šestáková and L. Novotný (Prague, Czech Republic) 1253
Ion-selective electrode for the determination of prenalterol
S. Khalil (Fayoum, Egypt) and M.A. EL-Ries (Cairo, Egypt) 1259

Book review 1267
Instructions for Authors 1269
Volume Contents 1271
Author Index 1279
Subject Index 1283
Calendar of forthcoming meetings N15